

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6430184".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 15:07
S2	39	(packetization adj (module or unit or unit)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 16:08
S3	29	((packetization adj (module or unit or unit)) same (signal or message)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 16:10
S4	1791	(signal or indication or message or instruction) with ((ready or awaiting) with (packet or cell)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 16:20
S5	483	(signal or indication or message or instruction) with ((ready or awaiting) adj3 (packet or cell)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 16:21
S7	316	(signal or indication or message or instruction) with ((ready or awaiting) adj2 (packet or cell)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 16:21
S8	39	(signal or indication or message or instruction) with ((ready or awaiting) adj (packet or cell)) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 16:21

S9	277	(signal or indication or message or instruction) with ((ready or awaiting) adj2 (packet or cell)) and (@rld<"20001212" or @ad<"20001212") not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 16:49
S10	4	(signal or indication or message or instruction) with ((ready or awaiting) with (packet or cell) with partial) and (@rld<"20001212" or @ad<"20001212") not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 17:31
S11	18	(signal or indication or message or instruction) with ((ready or awaiting) with (packet or cell)) and (transmit\$6 with partial with (packet or cell)) and (@rld<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 17:39
S12	881	((transmit\$6 or transfer\$4 or cop\$4) with partial with (packet or cell)) and (@rld<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 17:46
S13	27	((transmit\$6 or transfer\$4 or cop\$4) adj2 partial adj2 (packet or cell)) and (@rld<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 17:47
S16	8	((transmit\$6 or transfer\$4 or cop\$4) with partial with (packet or cell)) same schedul\$5) and (@rld<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 17:56
S17	21	((transmit\$6 or transfer\$4 or cop\$4) with partial with (packet or cell or frame)) same timing) and (@rld<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:05
S18	18	((transmit\$6 or transfer\$4 or cop\$4) with partial with (packet or cell or frame)) same interrupt\$3) and (@rld<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:11

S19	117	((((transmit\$6 or transfer\$4 or cop\$4) with (packet or cell or frame)) with timer with interrupt\$3) and (@rlad<"20001212" or @ad<"20001212"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:42
S20	11	((((transmit\$6 or transfer\$4 or cop\$4) with (packet or cell or frame)) with timer with interrupt\$3 with (processor or controller) with (buffer or fifo or queue)) and (@rlad<"20001212" or @ad<"20001212"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:43
S21	725	(signal or indication or message or instruction) with ((ready or awaiting) with (packet or cell) with receive \$5) and (@rlad<"20001212" or @ad<"20001212"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:45
S22	710	(signal or indication or message) with ((ready or awaiting) with (packet or cell) with receive\$5) and (@rlad<"20001212" or @ad<"20001212"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:45
S23	30	((signal or indication or message) with ((ready or awaiting) with (packet or cell) with receive\$5) same interval) and (@rlad<"20001212" or @ad<"20001212"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:46
S24	4	(receive with ready with regular with interval) and (@rlad<"20001212" or @ad<"20001212"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 18:50
S25	444	(receive with ready with period\$5) and (@rlad<"20001212" or @ad<"20001212"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 19:01
S26	17	((send\$4 or transmit\$5 or indicat\$5) with message with receive with ready with period\$5) and (@rlad<"20001212" or @ad<"20001212"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 19:02

S27	6	advantage with transmitting with partial with (frame or cell or packet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/23 20:07
S28	698	(parallel with packet with processing) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/24 09:27
S29	9	(advantage with parallel with packet with processing) and (@rlad<"20001212" or @ad<"20001212")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/24 09:27

12/ 24/ 2008 1:01:36 PM

C:\Documents and Settings\sahmed\My Documents\EAST\Workspaces\10716462-Dec-23-2008-Chu_case.wsp